

| | Hits | Search Text | DBs |
|---|-------------|--|---|
| 1 | 409 | (stor\$4 with (user\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (data or information or profil\$4)) and (service near3 provider\$1) and ((user\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (state\$1 or status\$3)) and rule\$1 and ((free and paying\$1 or paid) near9 service\$1) and @ad < "20031215" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 23 | 1 and ((automatic\$4 or period\$5 or dynamic\$5) with updat\$4 with (state\$1 or status\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 4 | 2 and (rule\$1 with provider\$1 with (user\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 4 | 3 and (e\$1mail\$1 or e\$1message\$1 or electronic\$1message\$1 or electronic\$1mail\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|---|-------------|--|---|
| 5 | 19 | 2 not 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 29237 | (internet near5 service near5 provider\$1) and ((user\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) near9 (data or information or profile\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7 | 10689 | (internet near5 service near5 provider\$1) and (stor\$4 with ((user\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) near9 (data or information or profile\$1))) and @ad < "20031215" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8 | 224 | 12 and rule\$1 and ((free and paying\$1 or paid) near9 service\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | 1 | 13 and ((automatic\$4 or period\$5 or dynamic\$5) with updat\$4 with (state\$1 or status\$3) with (user\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|---|---|
| 10 | 12 | 13 and ((automatic\$4 or period\$5 or dynamic\$5) with updat\$4 with (state\$1 or status\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 11 | 13 and (automatic\$4 with updat\$4 with (state\$1 or status\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 5 | (stor\$4 with (user\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (data or information or profil\$4)) and (service near3 provider\$1) and ((automatic\$4 or period\$5 or dynamic\$5) with updat\$4 with (user\$1 or member\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (state\$1 or status\$3 or (pre\$1defined near9 state\$1 or status\$3))) and rule\$1 and ((free and paying\$1 or paid) near9 service\$1) and @ad < "20031215" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|-------------|--|---|
| 13 | 80 | <pre>(stor\$4 with (user\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (data or information or profil\$4)) and (service near3 provider\$1) and (updat\$4 with (user\$1 or member\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (state\$1 or status\$3 or (pre\$1defined near9 state\$1 or status\$3))) and rule\$1 and ((free and paying\$1 or paid) near9 service\$1) and @ad < "20031215"</pre> | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|---|---|
| 14 | 0 | <pre>(stor\$4 with (user\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (data or information or profil\$4)) and (service near3 provider\$1) and ((automatic\$4 or period\$5 or dynamic\$5) with updat\$4 with (user\$1 or member\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (state\$1 or status\$3)) and rule\$1 and (pre\$1defined near9 (state\$1 or status\$3)) and ((free and paying\$1 or paid) near9 service\$1) and @ad < "20031215"</pre> | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 15 | 1 | <pre>((automatic\$4 or period\$5 or dynamic\$5) with updat\$4 with (user\$1 or member\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (state\$1 or status\$3)) and rule\$1 and (pre\$1defined near9 (state\$1 or status\$3)) and ((free and paying\$1 or paid) near9 service\$1) and @ad < "20031215"</pre> | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|---|---|
| 16 | 1 | ((automatic\$4 or period\$5 or dynamic\$5) with updat\$4 with (user\$1 or member\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (state\$1 or status\$3)) and rule\$1 and (pre\$1defined near3 (state\$1 or status\$3)) and ((free and paying\$1 or paid) near9 service\$1) and @ad < "20031215" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 17 | 0 | (automatic\$4 with updat\$4 with (user\$1 or member\$1 or subscriber\$1 or customer\$1 or client\$1 or buyer\$1 or shopper\$1) with (state\$1 or status\$3)) and rule\$1 and (pre\$1defined near3 (state\$1 or status\$3)) and ((free and paying\$1 or paid) near9 service\$1) and @ad < "20031215" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | 8437 | (free and ((paid or pay\$4) near9 service\$1)) and ((new or current or "to be" or potential) with (user\$1 or subscriber\$1 or customer\$1 or client\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|--|---|
| 19 | 1382 | (free and ((paid or pay\$4) near9 service\$1)) and ((new and current and ("to be" or potential)) with (user\$1 or subscriber\$1 or customer\$1 or client\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | 872 | 24 and @ad < "20031215" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | 2 | 25 and (automatic\$4 with updat\$4) and rule\$1 and (pre\$1defined near9 (state\$1 or status\$3)) and @ad < "20031215" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | 2 | 25 and (automatic\$4 with updat\$4) and rule\$1 and (pre\$1defined near9 (state\$1 or status\$3)) and @ad < "20031215" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | 0 | ((user\$1 or subscriber\$1 or customer\$1 or client\$1 or member\$1) with (pre\$1defined adj (state\$1 or status\$3))) and rule\$1 and ((free and paying\$1 or paid) near9 service\$1) and @ad < "20031215" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|-----------|-------------|---|---|
| 24 | 13 | <pre>((user\$1 or subscriber\$1 or customer\$1 or client\$1 or member\$1) with (pre\$1defined with (state\$1 or status\$3))) and rule\$1 and ((free and paying\$1 or paid) near9 service\$1) and @ad < "20031215"</pre> | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |